

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 04 2001

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 25 2001

The applicant **Artistica**, a Nevada Corporation hereby make application for permission to change the **Point of Diversion and Place of Use** of a portion of water heretofore appropriated under **Permit No. 59742**

1. The source of water is **Underground**
2. The amount of water to be changed **0.00515 cfs 1.50 afa**
3. The water to be used for **Quasi-Municipal purposes**
4. The water heretofore permitted for **Quasi-Municipal purposes**
5. The water is to be diverted at the following point in the **NW¼ of the SW¼ of Section 2, T.21S., R.53E., M.D.M., from which the west quarter corner of said Section 2 bears N 12°30'12" W a distance of 368.87 feet**
6. The existing permitted point of diversion is located within the **SE¼ or the NW¼ of Section 1, T.21S., R.53E., M.D.B.&M., Nye County, Nevada; or at a point from which the west quarter corner of said Section 1 bears South 84°31'45" West a distance of 1783.12 feet more or less.**
7. Proposed place of use in the **NW¼ of the SW¼ of Section 2, T.21S., R.53E., M.D.M., more particularly, Lot 16 of Rancho View Estates Subdivision, recorded 8/29/79 as Document No. 09743 in the office of the County Recorder of Nye County, Nevada, consisting of 2.01 acres, APN 44-211-09**
8. Existing place of use **S½, SW¼, SE¼, NW¼, Section 1, T.21S., R.53E., M.D.B.&M., Nye County, Nevada.**
9. Use will be from **Jan. 1st to Dec. 31st** of each year.
10. Use was permitted from **Jan. 1st to Dec. 31st** of each year.
11. Description of proposed works **underground well, submersable pump, pressure tank and storage tank for fire protection. Site developement plans not presently completed.**
12. Estimated cost of works **\$15,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks: a.) 1 single family dwelling unit with business/shop. B.) 2 to 4 unit multi family structures (plans in conceptual stage)

By David A. Richards
s/ David A. Richards
1191 W. Betty Ave.
Pahrump, NV 89060

Compared cm/ cmf ds/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 59742, is issued subject to the terms and conditions imposed in said Permit 59742, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00515 cubic feet per second, but not to exceed 1.50 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 21, 2003

Proof of completion of work shall be filed before:

January 21, 2004

Water must be placed to beneficial use on or before:

December 21, 2006

Proof of the application of water to beneficial use shall be filed on or before:

January 21, 2007

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 21st day of, December A.D. 2001



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____


CANCELED AUG 06 2004 BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Dam
STATE ENGINEER

